

Open Access Repository

www.ssoar.info

Assessment of German Public Attitudes Toward Health Communications With Varying Degrees of Scientific Uncertainty Regarding COVID-19

Wegwarth, Odette; Wagner, Gert G.; Spies, Claudia; Hertwig, Ralph

Veröffentlichungsversion / Published Version Zeitschriftenartikel / journal article

Empfohlene Zitierung / Suggested Citation:

Wegwarth, O., Wagner, G. G., Spies, C., & Hertwig, R. (2020). Assessment of German Public Attitudes Toward Health Communications With Varying Degrees of Scientific Uncertainty Regarding COVID-19. *JAMA Network Open*, *3*(12), 1-5. https://doi.org/10.1001/jamanetworkopen.2020.32335

Nutzungsbedingungen:

Dieser Text wird unter einer CC BY Lizenz (Namensnennung) zur Verfügung gestellt. Nähere Auskünfte zu den CC-Lizenzen finden Sie hier:

https://creativecommons.org/licenses/by/4.0/deed.de

Terms of use:

This document is made available under a CC BY Licence (Attribution). For more Information see: https://creativecommons.org/licenses/by/4.0









Research Letter | Public Health

Assessment of German Public Attitudes Toward Health Communications With Varying Degrees of Scientific Uncertainty Regarding COVID-19

Odette Wegwarth, PhD; Gert G. Wagner, PhD; Claudia Spies, MD, PhD; Ralph Hertwig, PhD

Introduction

The coronavirus disease 2019 (COVID-19) pandemic has exposed scientific uncertainty in its raw form. When facts are uncertain, policy makers and health experts sometimes shy away from communicating scientific uncertainty, ¹ fearing that the uncertainty will generate mistrust. ² In Germany, for instance, the pandemic-related threat scenarios invoked have sometimes been devoid of uncertainty. ³ Nevertheless, presenting uncertain aspects of the pandemic as certain may adversely affect citizens' trust and compliance with containment measures should those reports later prove invalid. ⁴ We assessed people's preferences for health communications with varying degrees of scientific uncertainty in the context of the COVID-19 pandemic and explore factors associated with the preferred form of communication.

Invited Commentary

+ Supplemental content

Author affiliations and article information are listed at the end of this article.

Methods

A sample group of German residents 18 years or older were surveyed from July 13 through July 20, 2020, to investigate their preferences for communications regarding COVID-19 (**Table**). Of the 3182 people invited to take the survey, 744 did not respond, 47 did not complete the survey questionnaire, 380 were excluded after failing a quality check (eg, people who completed the survey too quickly), and 2011 completed the survey, yielding a response rate of 71.8% (2011 of 2802 [after deleting the 380 excluded questionnaires from the original 3182]). The sample was randomly drawn from the PAYBACK Online Panel (Munich, Germany) by the market research institute Infratest dimap (Berlin, Germany). The panel consists of more than 80 000 panelists who are continuously recruited by off-line invitation only (to reduce self-selection bias) from the 25 million members of the PAYBACK Germany loyalty scheme. Owing to the high standard of panel recruitment and the structure of the

Table. Demographic Characteristics of the Survey Sample Compared With the 2018 Microcensus of the German Federal Statistical Office

| Characteristic | Survey sample, No. (%) (N = 2011) ^a | Microcensus 2018, % ^a |
|---------------------------|--|----------------------------------|
| Females | 1014 (50.4) | 51.4 |
| Age, y | | |
| 18-29 | 225 (11.2) | 15.2 |
| 30-39 | 283 (14.1) | 14.1 |
| 40-49 | 300 (14.9) | 14.2 |
| 50-59 | 438 (21.8) | 20.2 |
| ≥60 | 765 (38.0) | 36.3 |
| Educational level | | |
| Lower secondary education | 292 (14.5) | 31.5 |
| Middle school | 975 (48.4) | 32.2 |
| High school | 740 (36.8) | 33.3 |
| No qualifications | 6 (0.3) | 4.1 |
| Region | | |
| East | 413 (20.5) | 20.8 |
| West | 1598 (79.5) | 79.2 |

^a Percentages are rounded and may not total 100.

Open Access. This is an open access article distributed under the terms of the CC-BY License.

panelists, Infratest dimap uses the panel for social science studies. The ethics committee of the Max Planck Institute for Human Development approved the content and design of the study. Written informed consent, granted by waiver by the ethics committee of the Max Planck Institute for Human Development, was obtained online from all participants before the study. This study followed the disclosure requirements of the Code of Professional Ethics and Practice of the American Association for Public Opinion Research (AAPOR) reporting guideline (eMethods 3 in the Supplement).

Participants were shown 4 scenarios in random order that communicated information regarding the COVID-19 pandemic (eg, deaths, reproduction numbers) with varying magnitudes of scientific uncertainty (eMethods 2 in the Supplement). All numbers used in the scenarios were based on the actual numbers of people with positive test results for severe acute respiratory coronavirus 2, COVID-19 related deaths, and the reproduction number in Germany, drawn from the daily reports of the Robert Koch Institute (Berlin, Germany) from March 22 to April 2, 2020. Categorization of the magnitude of uncertainty was based on a systematic review¹ (eMethods 1 and the eFigure in the Supplement). Participants ranked the scenarios according to (1) which form of communication they would most prefer government and health experts to use regarding the COVID-19 pandemic and (2) their potential to motivate support and compliance with containment measures such as social distancing. The participants' basic numeracy was measured by the scale from Schwartz et al⁵ and was judged to be present if all 3 questions were answered correctly.

Statistical analyses were performed with SPSS Statistics 26 software (IBM). Data were weighted by age, sex, region, household size, and educational level according to the 2018 Microcensus of the German Federal Statistical Office to approximate the representativeness of the target population. Summary statistics are provided as proportions with 95% CIs. The χ^2 test was used to compare differences in informational preferences within groups, and the Mann-Whitney test was used to test for differences between groups. Multinomial logistic regression was used to investigate the associations between the preferred form of COVID-19 communication and demographic characteristics. P values were 2-sided, with statistical significance set at P < .05 for single comparisons and at P < .015 for multiple comparisons, after Bonferroni correction.

Results

The mean age of the 2011 participants was 52.0 years (range, 18-89 years); 1014 (50.4%) of the respondents were women. The Table presents additional demographic characteristics.

Of the 2011 respondents, significantly more (650 respondents [32.3%; 95% CI, 30.3%-34.4%]) chose the scenario expressing the highest magnitude of uncertainty (verbal and numerical uncertainty) as their preferred form of communication regarding the COVID-19 pandemic (**Figure**) than any of the other scenarios. We compared scenario 1 (highest uncertainty) with each of the other 3 (scenario 1 vs 2, χ_1^2 = 265.094, P < .001; scenario 1 vs 3, χ_1^2 = 256.823, P < .001; scenario 1 vs 4, χ_1^2 = 318.947; P < .001). Approximately one-fourth of the respondents (501 [24.9%; 95% CI, 23.0%-26.8%]) chose the scenario explicitly denying uncertainty, 435 (21.6%; 95% CI, 19.8%-23.4%) chose the scenario expressing verbal uncertainty only, and 425 (21.1%; 95% CI, 19.3%-22.9%) chose the scenario that left uncertainty unmentioned.

A similar ranking—with an even more pronounced preference for the scenario expressing the highest magnitude of uncertainty—was observed for the form of communication participants judged most likely to motivate them to support and comply with pandemic containment measures (Figure). Participants who deemed current governmental COVID-19 containment strategies to be exaggerated (n = 404) indicated they would be more inclined to comply with containment measures when presented with communication expressing the highest magnitude of uncertainty than were those who considered these strategies appropriate (n = 1431) (39.4%; 95% CI, 34.6-44.3 vs 33.6%; 95% CI, 31.2-36.0) (difference, 5.8%; 95% CI, 4.1-7.5; P = .015).

Basic numeracy,⁵ belonging to an at-risk age group (≥60 years), sex, and educational level were not associated with the preferred form of COVID-19 communication.

2/5

Figure. Participants' First-Ranked Choices for the Preferred Magnitude of Scientific Uncertainty in Communication Regarding the Course of the COVID-19 Pandemic and for Motivating Compliance With Containment Measures

Which of the communications about Which of the communications would COVID-19 would you most prefer to receive most motivate you to comply with from policy makers and health experts? COVID-19-related containment measures? No. of (1st rank) Proportions (95% CI) (1st rank) Proportions (95% CI) responses Health communication scenario 1: Uncertainty is verbally and numerically communicated All 2011 At-risk age group Yes (≥60 y) 514 No (18-59 y) 1497 Basic numeracy Yes1 717 No 1294 Consider governmental containment strategies appropriate Yes 1431 Health communication scenario 2: Uncertainty is only verbally communicated 2011 Н At-risk age group Yes (≥60 y) 514 No (18-59 y) 1497 Basic numeracy Yes1 717 No 1294 Consider governmental containment strategies appropriate \vdash Yes 1431 No 404 Health communication scenario 3: Uncertainty is not mentioned 2011 At-risk age group Yes (≥60 y) 514 No (18-59 y) 1497 Basic numeracy 717 Yes1 No 1294 Consider governmental containment strategies appropriate Yes 1431 404 Health communication scenario 4: Uncertainty is explicitly denied 2011 At-risk age group Yes (≥60 y) 514 No (18-59 y) 1497 Basic numeracy γρς1 717 Nο 1294 Consider governmental containment strategies appropriate Yes 1431 Nο 404 20 10 20 30 10 Proportions (95% CI) Proportions (95% CI)

Percentages are rounded and may not total 100. The respondents' basic numeracy was measured by the scale from Schwartz et al⁵ and was judged to be present if all 3 questions were answered correctly. The whiskers indicate 95% CIs.

Discussion

In this survey of German residents, a majority of respondents indicated a preference for open communication of scientific uncertainty in the context of the COVID-19 pandemic. For those who are currently skeptical of governmental containment measures, communication expressing uncertainty appeared to be particularly effective in motivating them to comply with the measures. The generalizability of these results may be limited by our sample, which consisted of only German residents. These results are unexpected to the extent that research in other nonmedical and medical domains suggests that the communication of uncertainty prompts avoidance and increased levels of discomfort. ^{2,6} We speculate that our respondents—and perhaps people worldwide—may be more open to the communication of uncertainty in the context of COVID-19 because the individual and collective experience of the pandemic is one of rapidly changing knowledge and absence of certainty. It may even be that admitting and communicating scientific uncertainty to the public fosters trust.

ARTICLE INFORMATION

Accepted for Publication: November 12, 2020.

Published: December 10, 2020. doi:10.1001/jamanetworkopen.2020.32335

Open Access: This is an open access article distributed under the terms of the CC-BY License. © 2020 Wegwarth O et al. *JAMA Network Open*.

Corresponding Author: Odette Wegwarth, PhD, Center for Adaptive Rationality, Max Planck Institute for Human Development, Lentzeallee 94, 14195 Berlin, Germany (wegwarth@mpib-berlin.mpg.de).

Author Affiliations: Center for Adaptive Rationality, Max Planck Institute for Human Development, Berlin, Germany (Wegwarth, Wagner, Hertwig); Institute of Medical Sociology and Rehabilitation Science, Charitè-Universitätsmedizin Berlin, Berlin, Germany (Wegwarth); Socio-Economic Panel Study (SOEP), Berlin, Germany (Wagner); Center for Anesthesiology and Operative Intensive Medicine, Charitè-Universitätsmedizin Berlin, Berlin, Germany (Spies).

Author Contributions: Dr Wegwarth had full access to all of the data in the study and takes responsibility for the integrity of the data and the accuracy of the data analysis.

Concept and design: Wegwarth, Spies.

Acquisition, analysis, or interpretation of data: Wegwarth, Wagner, Hertwig.

Drafting of the manuscript: Wegwarth, Spies.

Critical revision of the manuscript for important intellectual content: Wegwarth, Wagner, Hertwig.

Statistical analysis: Wegwarth, Wagner.

Obtained funding: Wegwarth, Hertwig.

Administrative, technical, or material support: Wegwarth, Spies.

Supervision: Wegwarth, Wagner, Hertwig.

Conflict of Interest Disclosures: Dr Spies reported receiving grants from Aridis Pharmaceutical Inc, B. Braun Melsungen AG, Drägerwerk AG & Co, KGaA, Grünenthal GmbH, Infectopharm GmbH, Sedana Medical Ltd, Deutsche Forschungsgemeinschaft/German Research Society, Deutsches Zentrum für Luft-und Raumfahrt eV (DLR)/German Aerospace Center, Einstein Stiftung Berlin/Einstein Foundation Berlin, European Society of Anaesthesiology, Gemeinsamer Bundesausschuss/Federal Joint Committee (G-BA), Inneruniversitäre Forschungsförderung/Inner University Grants, Projektträger im DLR/Project Management Agency, Stifterverband, World Health Organization collaborating center, Baxter Deutschland GmbH, Biotest AG, Cytosorbents Europe GmbH, Edwards Lifesciences Germany GmbH, Fresenius Medical Care, Grünenthal GmbH, Masimo Europe Ltd, Medtronic GmbH, Pfizer Pharma PFE GmbH, Dr F. Köhler Chemie GmbH, Sintetica GmbH, European Commission, Stifterverband für die deutsche Wissenschaft P.V./Philips, from Stiftung Charité, Aguettant Deutschland GmbH, AbbVie Deutschland GmbH & Co KG, Amomed Pharma GmbH, InTouch Health, Copra System GmbH, Correvio GmbH, and Max Planck Gesellschaft zur Förderung der Wissenschaften eV and personal fees from Georg Thieme Verlag outside the current work. In addition, Dr Spies reported having patents 10 2014 215 211.9, 10 2014 215 212.9, and 10 2018 114 364.8, all licensed and granted in Germany, and patent 10 2018 110 275.5 pending (applied for in Germany). No other disclosures were reported.

Funding/Support: The study was funded by the Max Planck Institute for Human Development.

Role of the Funder/Sponsor: The Max Planck Institute for Human Development had no role in the design and conduct of the study; collection, management, analysis, and interpretation of the data; preparation, review, or approval of the manuscript; and decision to submit the manuscript for publication.

Data Sharing Statement: Data are made available at the Open Science Framework (https://osf.io/w6df5/).

Additional Contributions: We thank Susannah Goss, MA (Max Planck Institute for Human Development), for her excellent help with editing our manuscript. We further thank Nico Siegel, PhD, and Christian Spinner, MA (both from Infratest dimap), for their valuable input on the survey setups and programming. All parties received compensation for their work.

REFERENCES

- 1. van der Bles AM, van der Linden S, Freeman ALJ, et al. Communicating uncertainty about facts, numbers and science. R Soc Open Sci. 2019;6(5):181870. doi:10.1098/rsos.181870
- 2. Ellsberg D. Risk, ambiguity, and the Savage axioms. Q J Econ. 1961;75(4):643-669. doi:10.2307/1884324
- 3. Gräf D, Hennig M. The narrowing of the world: on the media construction of Germany under COVID-19. Article in German. Magazin des Graduiertenkollegs Privatheit und Digitalisierung der Universität Passau. September 2020;13-20.
- 4. Wegwarth O, Wagner GG, Gigerenzer G. Can facts trump unconditional trust? evidence-based information halves the influence of physicians' non-evidence-based cancer screening recommendations. PLoS One. 2017;12 (8):e0183024. doi:10.1371/journal.pone.0183024
- 5. Schwartz LM, Woloshin S, Black WC, Welch HG. The role of numeracy in understanding the benefit of screening mammography. Ann Intern Med. 1997;127(11):966-972. doi:10.7326/0003-4819-127-11-199712010-00003
- 6. Arkes HR, Shaffer VA, Medow MA. Patients derogate physicians who use a computer-assisted diagnostic aid. Med Decis Making. 2007;27(2):189-202. doi:10.1177/0272989X06297391

SUPPLEMENT.

eMethods 1. Background Information on Survey Construction

eFigure. Expressions for Communicating the Magnitude of Scientific Uncertainty, in Order of Decreasing Precision

eMethods 2 Survey Questionnaire

eMethods 3. AAPOR Survey Disclosure Checklist